

NQ Core hole ID	From (m)	To (m)	Intersection (m)	Estimated True Width	Cu (%)	Ag (g/t)
CP-05-01	No Significant Values					
CP-05-02	9.35	11.7	2.35	2.21	2.73	20.7
	100.35	100.8	0.45	0.45	0.66	4.6
CP-05-03	67.85	71.2	3.35	3.15	0.74	4.7
including	67.85	68.3	0.45	0.43	2.71	0.4
and	70.8	71.2	0.4	0.40	3.02	0.9
	103.7	104.2	0.5	0.50	1.21	1.2
	146	148.7	2.7	2.66	6.38	58.3
including	146	147.2	1.2	1.18	11.96	101
CP-05-04	58	58.5	0.5	0.43	1.12	0.7
	75.4	75.9	0.5	0.50	2.65	4.4
CP-05-05						
	48	63.8	15.8	7.90	0.195	1.9
	79.1	114.7	35.6	17.80	1.62	5.3
including	90.8	112.7	21.9	10.95	2.52	8.2
including	109	112.7	3.7	1.85	9.49	0.15
CP-05-06	8.4	11.7	3.3	1.65	0.89	5.1
including	10.1	10.75	0.65	0.33	2.59	19.5
	58.1	59.9	1.8	0.31	0.67	3.5
CP-05-07	32	32.5	0.5	0.17	0.74	2.80
	58.65	59.65	1.00	0.91	0.75	0.4
	77.15	104.2	27.05	23.43	0.17	0.18
including	87	88	1	0.87	1.67	<0.2
	122.55	123.30	0.75	0.74	3.04	0.8
	140.3	148.7	8.4	7.61	0.91	1.99
including	145.75	148.1	2.35	1.98	2.03	4.4
	187.70	188.30	0.60	0.46	2.97	5.1
CP-05-08	105.1	105.8	0.7	0.54	0.97	1.2
	112.7	119	6.3	3.15	0.21	<0.2
including	112.7	113.1	0.4	0.20	1.53	0.2
	158.5	197.2	38.7	31.70	0.20	0.5
including	163.55	165.3	1.75	1.43	1.03	1.8
and	187.65	188.55	0.9	0.74	0.84	9.8
CP05-09	38.1	39.05	0.95	0.76	0.89	0.4
	119.8	123	3.2	2.77	0.34	0.8
including	121.8	123	1.2	1.04	0.74	0.4
	137.5	138.5	1	0.87	0.23	<0.2
	168.25	168.75	0.5	0.32	1.57	0.3
	183.5	184	0.5	0.38	0.88	<0.2

NQ Core hole ID	From (m)	To (m)	Intersection (m)	Estimated True Width	Cu (%)	Ag (g/t)
CP-05-10	152	152.7	0.7	0.61	0.40	0.3
	190.55	194.9	4.35	4.09	0.27	1.8
including	192	192.5	0.5	0.35	1.20	9.9
	199	199.5	0.5	0.49	0.39	32.1
CP-05-11	174.85	179	4.15	3.59	0.14	< 0.2
CP-05-12	47.55	54.35	6.8	3.14	0.56	6.7
including	47.55	48.9	1.35	0.57	1.36	12.9
and	50.55	52.35	1.80	0.90	0.96	14.6
	61.2	61.5	0.30	0.15	1.29	14.4
	168.25	171.55	3.30	2.86	0.48	4.4
	193.9	200.25	6.35	4.86	0.33	2.2
CP-05-13	No Significant Values					
CP-05-14	49.6	119	69.4	35.33	0.35	3.1
including	49.6	54	4.40	2.83	1.46	12.8
and	67.05	84.1	17.05	8.53	0.83	7.3
and	93.55	96	2.45	1.46	0.55	0.5
and	99.25	99.85	0.60	0.34	1.26	4.9
	137.8	142.1	4.30	3.04	0.63	0.6
	160	164.3	4.30	1.47	0.21	1.0
CP-05-15	24.2	28.05	3.85	3.65	1.40	2.4
	112.85	113.25	1.65	1.26	0.46	4.3
CP-05-16	26.3	29	2.70	2.70	0.87	3.6
CP-05-17	No Significant Values					
CP-05-18	8.3	9.1	0.8	0.51	0.34	3.3
	97.2	99.45	2.25	2.23	0.41	7.5
	108.2	111.8	3.7	3.42	0.96	7.9
CP-05-19	26	27.5	1.5	0.71	0.79	2.2
	45.5	47	1.5	1.06	1.96	27.5
	48.1	50.5	2.4	1.84	0.54	8.2
	55.7	61.7	6	1.55	1.29	14.8
	72	82.5	10.5	5.25	0.76	1.1
	102.4	104.5	2.1	1.48	1.00	0.4
including	103.8	104.5	0.7	0.49	2.74	1.1

NQ Core hole ID	From (m)	To (m)	Intersection (m)	Estimated True Width	Cu (%)	Ag (g/t)
CP-05-20	25.8	100.45	74.65	54.00	0.34	2.0
including	25.8	36.5	10.7	1.86	1.47	6.4
including	30.5	31.1	0.6	0.10	12.50	48.2
and	33.9	34.5	0.6	0.10	0.44	15.6
	88.95	100.45	11.5	8.81	0.42	4.7
including	88.95	91.2	2.25	1.59	0.98	12.1
	108.3	111.65	3.35	1.15	0.29	1.2
	134.1	135.1	1	0.34	0.37	0.1
	171.55	172	0.45	0.24	0.43	2.8
CP-05-21	18	20	2	1.53	0.16	0.6
CP-05-22	31.5	32	0.5	0.35	0.94	0.7
CP-05-23	No Significant Values					